

ERICA M. HAMILTON COMMISSION SECRETARY Commission.Secretary@bcuc.com web site: http://www.bcuc.com SIXTH FLOOR, 900 HOWE STREET, BOX 250 VANCOUVER, B.C. CANADA V6Z 2N3 TELEPHONE: (604) 660-4700 BC TOLL FREE: 1-800-663-1385 FACSIMILE: (604) 660-1102

## **VIA EMAIL**

regulatory.affairs@terasengas.com david.bennett@fortisbc.com, regulatory@fortisbc.com cdonohue@png.ca November 19, 2009

Mr. Tom Loski
Vice President, Finance
and Regulatory Affairs
Terasen Gas Inc.
Terasen Gas (Vancouver Island) Inc.
16705 Fraser Highway
Surrey, BC V3S 2X7

Mr. David Bennett
General Counsel
and Corporate Secretary
FortisBC Inc.
5<sup>th</sup> Floor - 1628 Dixon Avenue
Kelowna, BC V1Y 9X1

Mr. C.P. Donohue
Director, Regulatory Affairs & Gas Supply
Pacific Northern Gas Ltd.
950 - 1185 West Georgia Street
Vancouver, BC V6E 4E6

Gentlemen:

Re: Return on Common Equity for a Low-Risk Benchmark Utility for the Year 2010

Pursuant to the Commission's Decision dated June 10, 1994 regarding Return on Common Equity, and Order G-35-94, as amended by Order G-80-99, Order G-109-01, and Order G-14-06, the Commission has in November of previous years determined the allowed return on common equity for a benchmark low-risk utility for the ensuing year.

As recipients may be aware, the Commission has heard an application from the Terasen Utilities to eliminate the automatic adjustment mechanism and anticipates that it will issue a decision in this regard in mid-December. Following the issue of the decision, the Commission will determine what further action is required.

Yours truly,

Original signed by:

Erica M. Hamilton

ac cc:

**BCUC Regulated Utilities** 

bchydroregulatorygroup@bchydro.com Janet.fraser@bctc.com bctc.regulatory@bctc.com support@bcpiac.com glenn.laufer@corix.com silversmith@netidea.com

Mr. R. Brian Wallace Bull, Housser & Tupper (rbw@bht.com) mvalcourt@bigwhite.com jsereda@calgasinc.com david@portalicegas.com stargas@shaw.ca utilities@sunpeaksresort.com chdl@telus.net John Robbins, Yukon Electric Co.

Fax: 867-668-3965